



# Weekly Influenza Activity Report

MMWR Week 19 (5/5/19-5/11/19) Date Completed: 5/17/19

#### Summary:


Public health surveillance data indicates levels of influenza like illness (ILI) are trending below the historical 5 year average for Medina County for ILI emergency department (ED) visits and trending below the historical 5 year average for Influenza hospitalizations. The percentage of ILI emergency department (ED) visits among Medina County residents are below the statewide levels (Figure 1). The geographic distribution of ILI ED visits has decreased with influenza activity found in about half of the county's zip codes (Figure 2). There were 0 influenza-associated hospitalizations and 0 novel influenza infections reported to the Medina County Health Department during week 19. The incidence of influenza associated hospitalizations is below the 5 year average (Figure 3). The highest frequency of ILI associated hospitalizations are among adults 65 years and older while the highest frequency of ILI ED visits are among children less than 18 years of age (Figure 4). Over-the-counter medication sales for adults are trending upward.

#### **Dashboard:**


Indicator	Current Week	Previous Week	Trend (# of weeks)	Season to Date
Number of ILI ED visits <sup>1</sup>	15	20	2	992
Percentage of ILI ED visits <sup>1</sup>	1.10%	1.40%	2	-
Number of Influenza Hospitalizations <sup>2</sup>	0	0	2	146
Number of Novel Influenza Infections <sup>2</sup>	0	0	31	0
Number of Over-the-Counter <sup>3</sup> Medication Sales (Adult)*	1581	1402	2	54367
Number of Over-the-Counter <sup>3</sup> Medication Sales (Children)*	129	98	1	4215

\*Over-the-counter (OTC) medication sales do not reflect all OTC medication sales within the county. Please see Figures 5 and 6 for specific medications that are being tracked and monitored. All numbers are preliminary and subject to change.\*


### Percentage of ILI ED Visits by Week:




## **Geographic Distribution of Medina County ILI ED Visits:**




## Incidence of Influenza-Associated Hospitalizations among Medina County Residents:




## Age Distribution of Influenza ER Visits and Hospitalizations among Medina County Residents:





## Number of OTC Medication Sales for Adults Sold in Medina County Drug Stores:

## Number of OTC Medication Sales for Children Sold in Medina County Drug Stores:



## State, Regional, and National Data:


#### **Ohio Surveillance Data:**

- ODH lab has reported 1325 positive influenza test from specimens sent from various submitters. 2018-2019 influenza season results: (618) A/pdmH1N1; (695) A/H3N2; (12) Influenza B; (through 5/11/2019).
- The National Respiratory and Enteric Virus Surveillance System (NREVSS) has reported 78,965 influenza tests performed at participating facilities. 2018-2019 influenza season positive results: (447) A/pdmH1N1, (568) A/H3N2, (12737) Flu A Not Subtyped, and (308) Flu B (through 5/11/2019).
- 4 **pediatric influenza-associated mortalities** have been reported during the 2018-2019 season (through 5/11/2019).
- No **novel influenza A virus infections** have been reported during the 2018-2019 season (through 5/11/2019).
- Incidence of confirmed **influenza-associated hospitalizations** in 2018-2019 season = **9828** (through 5/11/2019).

<u>HHS Regional Surveillance Data\*</u>: During week 18 (April 28th – May 4th, 2019), the proportion of outpatient visits for ILI in Region 5 (Ohio is in Region 5) was 1.17%, which is **below** the regional baseline of 1.8%. Ohio and Kentucky reported Regional Activity (Ohio's went to Local Activity for week 19); Pennsylvania and Michigan reported Local Activity; Indiana and West Virginia reported Sporadic Activity.

<u>National Surveillance Data\*</u>: During week 18 (April 28th – May 4th, 2019), most U.S. States reported Minimal influenza activity. The proportion of outpatient visits for ILI was 1.6%, which is **below** the national baseline of 2.2%. One region reported ILI at their region-specific baseline level. The most frequently identified virus was influenza A(H3).

\*National-level and regional-level data are reported one week later than Ohio state-level.



### **Data Sources:**

- Emergency Department Visits (EpiCenter): EpiCenter collects emergency department chief complaint data from hospitals and urgent care facilities across Medina County and classifies them into symptom and syndrome categories. Rates for chief complaints regarding fever + ILI and other symptoms commonly detected during the flu season are analyzed.
- 2. Influenza-Associated Hospitalizations (ODRS): Influenza-associated hospitalizations and novel influenza infections are reported by the Medina County Health Department and hospitals using the Ohio Disease Reporting System (ODRS). Hospitalizations can be used as an indicator of the severity of illness during a particular influenza season. This condition became reportable in January 2009.
- **3. National Retail Data Monitor (NRDM):** NRDM collects over-the-counter medication sales at drug stores located within Medina County. Medication sales are broken down by adult and pediatric.

#### **Medina County Health Department**

4800 Ledgewood Drive, Medina, Ohio 44256

330-723-9688, option 2

Services are partially supported by your local health levy. We are an equal opportunity provider.